



43" J Curved PCAP Touch Monitor With 3M/ELO Protocol For Gaming

Our Product Introduction

for more products please visit us on anwelltouch.com

Basic Information

- Place of Origin: China
- Brand Name: Anwell Touch
- Certification: CE, RoHS, FCC
- Model Number: AW430CJ-G901
- Minimum Order Quantity: 2 pieces
- Price: Negotiable
- Packaging Details: Standard Box / 117*22*75cm / 32kgs
- Delivery Time: 15 working days
- Payment Terms: TT
- Supply Ability: 1000 pieces per Month



Product Specification

- Panel Size: 43 Inch J Type Side+Edge LED Bezel Screen
- Touch Type: Capacitive
- Color: Black
- Compatible With: 3M/ELO Microtouch Protocol
- Aspect Ratio: 16:9
- Brightness: 300cd/
- Viewing Angle: H/V:178° /178°
- Response Time: 6ms
- Touch Technology: 10 Points Multi_Touch Capacitive Touch Screen
- Touch Connector: USB / RS232
- Touch Response Time: 5ms
- Power Supply: Input AC110 ~ 240V
- Interface: HDMI, DVI, VGA, DP(Optional), Touch-USB, RS232



More Images



Product Description

Product Description

43inch J shape Capacitive touch Curved screen game monitor
[AW430CJ-G901 Specifications.pdf](#)

Touch Gaming monitor Feature:

- Compatible with 3M protocol
- Touch signal input : RS232 / USB


Our Product

- Signal input: VGA/DP/DVI/HD-MI
- Support embedded rack mounted / VESA wall mounted
- AU,EU,US,UK plug available
- Application: Game machines,Interactive kiosk, Interactive digital signage,Industrial enclosure, Cabinet, In-wall devices


Product Parameters:

| | |
|-----------------------------------|---|
| Anwell Model | AW430CJ-G901 |
| Monitor Color | Black |
| Panel size | 43 inch Side+Edge LED Bezel screen |
| Aspect Ratio | 16:9 |
| Resolution | FHD 1920*1080/UHD 3840*2160 |
| Colors | 16.7 M |
| Active Area | 941.184(H)* 529.416(V)mm |
| Number of Touches | 10 points Multi_Touch Capacitive Touch Screen |
| Brightness | 300cd/ |
| Response Time | 6ms |
| Viewing Angle | H/V:178° /178° |
| Contrast Ratio | 1300:1 |
| Backlight Lifetime (hours) | LED / 50,000h |
| Touch Technology | 10 points Multi_Touch Capacitive Touch Screen |
| Touch Connector | USB / RS232 |
| Touch Panel Drivers | Compatible with 3M/ELO protocol |
| Touch Response Time | 5ms |
| Power Supply | Input AC110 ~ 240V |
| Interface | HDMI,DVI,VGA,DP(Optional),Touch-USB,RS232 |
| Power consumption | ≤100W |
| Temperature | Operating 0°C~40°C/Storage- 20°C~60°C |
| Humidity Range (RH) | Operating 20%RH~80%RH/Storage10%RH~90%RH |
| Housing material | Metal |
| Installation | VESA 200mm*200mm |
| Warranty(year) | 1 Year |
| Support customization | |

Structural dimension diagram:







Shenzhen Anwell Touch Technology Co., Ltd.



+8615989592597



15989592597@163.com



anwelltouch.com

301, Building A, No. 51, Youganyuan Road, Anliang Community, Yuanshan Street, Shenzhen