

VGA DVI IR 3M Infrared Touch Screen Monitor 10points 43 Inch For Gaming Machine

Basic Information

Place of Origin: China
Brand Name: Anwell Touch
Certification: CE,Rohs,FCC
Model Number: AW430IB-G802
Minimum Order Quantity: 2 Pieces
Price: Negotiable
Packaging Details: Standard carton

Packaging Details: Standard carton boxDelivery Time: 15 working days

• Payment Terms: T1

• Supply Ability: 5000 pieces per Month



Product Specification

Series: For Gaming
Aspect Ratio: 16:9
Screen Size: 43inches
Touch Points: 10 Points

• Interface Type: D-SUB, DVI, HD, VGA

Resolution: 1920x1080Colors: 16.7M

• Viewing Angle: 85/85/80/80 (Typ.)(CR≥10)

• Response Time: <5ms

Compatibility: Compatible 3M/ELO Microtouch Protocol

Power Supply: AC110~220V
 Application: Gaming
 Interface: USB/RS232

Highlight: 3m infrared touch screen monitor,
 infrared touch screen monitor,

infrared touch screen monitor 10points,



More Images











Product Description

Product Specification

Name: 43inch Infrared Touch screen Monitor with LED ring lights

Model: **AW430IB-G802**

Product Picture:








Product Paramenters:

Product Paramenters:

Anwell Model	AW430IB-G802
Monitor Color	Black
Aspect Ratio	16:10
Resolution	1920 x 1080
Colors	16.7 M
Active Area	940.896(W)×529.254(H) mm
Number of Touches	1 points_Touch Infrared Touch Screen
Brightness	300cd/m²
Response Time	5 ms
Viewing Angle	89/89/89 (Typ.)(CR≥10)
Contrast Ratio	1000:1
Backlight Lifetime (hours)	LED / 50,000h
	'
Touch Technology	Infrared 10points Touch
Touch Connector	RS232/USB
Touch Panel Drivers	Compatible with 3M/ELO protocol
Touch Response Time	< 5ms
	·
Power Supply	Input AC110 - 240V
Output	AC110 - 240V
Power consumption	≤45W
Temperature	Operating 0°C-50°C/Storage- 20°C-60°C
Humidity Range (RH)	Operating 20%RH-80%RH/Storage10%RH-90%RH
Housing material	Metal or Aluminum (Optional)
Installation	75mm and 100mm VESA mount
Warranty(year)	1 Year
Support customization	

File Number: NO.2024-430IB-G802





Shenzhen Anwell Touch Technology Co., Ltd.





