



Customizable Gaming Infrared Multi 10 point Touch Screen With 3M/ELO Protocol Compatibility

Our Product Introduction

for more products please visit us on anwelltouch.com

Basic Information

- Place of Origin: China
- Brand Name: Anwell Touch
- Certification: CE,Rohs,FCC
- Model Number: AW430IB-G001
- Minimum Order Quantity: 2 Pieces
- Price: Negotiable
- Packaging Details: Standard carton box
- Delivery Time: 8-15 working days
- Payment Terms: TT
- Supply Ability: 5000 pieces per Month



Product Specification

- Color: Black
- Colors: 16.7million
- Aspect Ratio: 16:9
- Touch Screen Type: IR Touch
- Touch Signal Input: RS232
- Viewing Angle: 178/178 (H/V)
- Function: Work On Gaming POG firelink
- Resolution: 1920 X 1080
- Highlight: firelink gaming touchscreen monitor,
gaming touchscreen monitor 43",
baliy gaming touch monitor



More Images



Product Description

Product Specification

Name: Open Frame 43inch Infrared Touch screen Monitor

Model: **AW430IB-G001**


Product Picture:



Product Parameters:

Anwell Model	AW430IB-G001
Monitor Color	Black
Aspect Ratio	16:10
Resolution	1920 x 1080
Colors	16.7 M
Active Area	940.896(W)×529.254(H) mm
Number of Touches	1 points_Touch Infrared Touch Screen
Brightness	300cd/
Response Time	5 ms
Viewing Angle	89/89/89/89 (Typ.)(CR≥10)
Contrast Ratio	1200:1
Backlight Lifetime (hours)	LED / 50,000h
Touch Technology	1 points Infrared Touch
Touch Connector	RS232
Touch Panel Drivers	Compatible with 3M/ELO protocol
Touch Response Time	5ms
Power Supply	Input AC110 ~ 240V
Output	AC110 ~ 240V
Interface	VGA,HDMI,RS232
Power consumption	≤45W
Temperature	Operating 0°C~60°C/Storage- 20°C~60°C
Humidity Range (RH)	Operating 20%RH~80%RH/Storage10%RH~90%RH
Housing material	Metal
Installation	400x200mm mount
Warranty(year)	1 Year
Support customization	

Structural dimension diagram:



Shenzhen Anwell Touch Technology Co., Ltd.



+8615989592597



15989592597@163.com



anwelltouch.com

301, Building A, No. 51, Youganyuan Road, Anliang Community, Yuanshan Street, Shenzhen