



32 Inch Wide Viewing Angle Industrial Touch Monitor PCAP Multi Touch For Kiosk And Interactive Digital Signage Applcat

Our Product Introduction

for more products please visit us on anwelltouch.com


Basic Information

- Place of Origin: China
- Brand Name: Anwell Touch
- Certification: CE,RoHS,FCC
- Model Number: AW320SB-I001
- Minimum Order Quantity: 2 Pieces
- Price: Negotiable
- Packaging Details: Standard carton box
- Delivery Time: 15 working days
- Payment Terms: TT
- Supply Ability: 5000 pieces per Month




Product Specification

- Aspect Ratio: 16:9
- Resolution: 1920 X 1080
- Interface Type: DVI, Serial, Usb
- Response Time: 5ms
- Contrast Ratio: 1000:1
- Brightness: 300cd/m2
- Type: Capacitive Touch
- Colors: 16.7M
- Viewing Angle: 85/85/80/80 (Typ.)(CR≥10)
- Touch Technology: 10 Points Multi-Touch Capacitive Touch Screen
- Warranty: 1 Year
- Interface: VGA,HD-MI,USB,DC
- Highlight: industrial touch monitor pcap, pcap industrial touch screen, kiosk industrial touch screen



More Images



Our Product

Product Description

Product Description

Open frame touchscreen monitor 32 inch touchmonitor

Touch Gaming monitor Feature:

- Touch signal input : RS232 / USB
- Signal input: VGA/DVI/HD-MI


- Support embedded rack mounted / VESA wall mounted
- AU,EU,US,UK plug available
- Application: Game machine,Interactive kiosk, Interactive digital signage,Industrial enclosure, Cabinet, In-wall devices.

Product Description

Project	Model	AW320SB-I001
Display	Diagnoal Size	32inch
	Aspect Ratio	16:9
	LCD Technology	LED
	Active Display Area	697.31 × 392.23 mm (H×V)
	Resolution Ratio	1920*1080
	Brightness	300 cd/m ² (Typ.)
	Contrast Ratio	1000:1
	Colors	16.7M
	Response Time	5ms
	Viewing Angle	85/85/80/80 (Typ.)(CR≥10)
TouchScreen	Touch Technology	Capacitive Touch Screen
	Touchscreen Transparency	87%
	Touch Surface Hardness	>7H
	Touch Response Time	<10ms
I/O port	Interface	VGA HDMI USB DC
Others	Power Supply	DC12V 5A AC110~240V
	Installation	VESA 100×100,75×75
	Product size	770×465×57mm
	Temperature	Operating:0 ~40 , Storage:-20 ~60
	Humidity	Operating:20%~80%, Storage:10%~90%
	Altitude	<3000 m
	Accessories	hdmi cable, USB cable, Power adapter

Details Images







Shenzhen Anwell Touch Technology Co., Ltd.



+8618420495337



jasssiieee@gmail.com



anwelltouch.com

301, Building A, No. 51, Youganyuan Road, Anliang Community, Yuanshan Street, Shenzhen