



## 10.1" FHD HD Capacitive Support 10-point Touch Screen VGA Computer Monitor

Our Product Introduction

for more products please visit us on [anwelltouch.com](http://anwelltouch.com)

### Basic Information

- Place of Origin: China
- Brand Name: Anwell Touch
- Certification: CE,RoHS,FCC
- Minimum Order Quantity: 2 Pieces
- Price: Negotiable
- Packaging Details: Standard carton box
- Delivery Time: 15 working days
- Payment Terms: TT
- Supply Ability: 5000 pieces per Month



### Product Specification

- Aspect Ratio: 16:10
- Resolution: 1280\*800(1920\*1200 Optional)
- Interface Type: VGA, Serial, Usb
- Response Time: 5ms
- Contrast Ratio: 800:1
- Brightness: 300cd/m2
- Type: Capacitive Touch
- Colors: 16.7M
- Viewing Angle: 85/85/80/80 (Typ.)(CR≥10)
- Touch Technology: 10 Points Multi-Touch Capacitive Touch Screen
- Warranty: 1 Year
- Interface: AV/BNC/VGA/HDMI/USB
- Highlight: pcap 15 inch industrial touch screen monitor ,  
pcap touch screen monitor for industrial use ,  
open frame 15 inch industrial touch screen



### More Images





+8618420495337



jasssiieee@gmail.com



anwelltouch.com

301, Building A, No. 51, Youganyuan Road, Anliang Community, Yuanshan Street, Shenzhen

## Product Description

### Industrial Touch Monitor Feature:

- Touch signal input : RS232 / USB
- Signal input: VGA/DVI/HD-MI
- Support embedded rack mounted / VESA wall mounted
- AU,EU,US,UK plug available
- Application: Game machine, Interactive kiosk, Interactive digital signage, Industrial enclosure, Cabinet, In-wall devices.

## Product Specification

The specifications of 10.1 Inch 16:10 Industrial Touch Monitor

|                                                                                 |                          |                                                      |
|---------------------------------------------------------------------------------|--------------------------|------------------------------------------------------|
| Project                                                                         | Model                    | GC1016                                               |
| Display                                                                         | Screen Size              | 10.1 inch                                            |
|                                                                                 | Aspect Ratio/Resolution  | 16:10 1280*800                                       |
|                                                                                 | Viewing Angle            | 80/80/80/80 (Typ.)(CR≥10)                            |
|                                                                                 | Contrast Ratio           | 800:1                                                |
|                                                                                 | Response Time            | 10/30(Typ.) (Tr/Td) ms                               |
|                                                                                 | Brightness               | 300 cd/m² (Typ.)                                     |
|                                                                                 | Colors                   | 16.7M                                                |
| Touch Screen                                                                    | <b>Touch Technology</b>  | <b>10 points Multi-Touch Capacitive Touch Screen</b> |
|                                                                                 | Touchscreen Transparency | 87%                                                  |
|                                                                                 | Touch Surface Hardness   | >7H                                                  |
|                                                                                 | Resolution               | 4096*4096                                            |
| I/O port                                                                        | <b>Interface</b>         | <b>AV BNC VGA HDMI USB</b>                           |
|                                                                                 | Power Supply             | DC12V 4A AC110~220V                                  |
| Others                                                                          | Installation             | VESA 100×100,frame*Side mount                        |
|                                                                                 | Product size             | 270×167×35mm                                         |
|                                                                                 | Active Display Area      | 219(W)×137(H) mm                                     |
|                                                                                 | Temperature              | Operating:0°C~40°C, Storage:-20°C~6°C                |
|                                                                                 | Humidity                 | Operating:20%~80%, Storage:10%~90%                   |
|                                                                                 | Altitude                 | <3000 m                                              |
|                                                                                 | Accessories              | VGA cable, USB cable, Power adapter                  |
| This series of industrial capacitive touch screen monitor, we can offer 8"~43". |                          |                                                      |

