



32 Inch Capacitive Touch Screen Monitor Side LED Light For POG WMS FOX firelink Games

Our Product Introduction

for more products please visit us on anwelltouch.com

Basic Information

- Place of Origin: China
- Brand Name: Anwell Touch
- Certification: CE,RoHS,FCC
- Model Number: AW320CB-G805
- Minimum Order Quantity: 2 Pieces
- Price: Negotiable
- Packaging Details: Standard carton box
- Delivery Time: 15 working days
- Payment Terms: TT
- Supply Ability: 5000 pieces per Month



Product Specification

- Ratio: 16:9
- Resolution: 1920 X 1080
- Response: 5ms
- Contrast Ratio: 1000:1
- Brightnes: 300cd/m2
- Type: Capacitive Touch
- Color: 16.7M
- Viewing Angle: 85/85/80/80 (Typ.)(CR≥10)
- Touch Technology: 10 Points Multi-Touch Capacitive Touch Screen
- Warranty: 12 Months
- Highlight: capacitive touch screen monitor side led,
pog capacitive touch monitor,
pog capacitive touch screen monitor



More Images



Our Product

Product Description

32 Inch Capacitive Touch Screen Monitor Side LED Light For POG WMS FOX firelink Games

Product Description



32 inch Capacitive touch screen game monitor

Touch Gaming monitor Feature:

- Compatible with 3M/ELOs protocol
- Touch signal input : RS232 / USB
- Signal input: VGA/DVI/HD-MI
- Support embedded rack mounted / VESA wall mounted
- AU,EU,US,UK plug available
- Application: Game machine,Interactive kiosk, Interactive digital signage,Industrial enclosure, Cabinet, In-wall devices

Product Paramenters :

Anwell Model	AW320CB-G805
Monitor Color	Black
Panel size	32 inch Side+Edge LED Bezel screen
Aspect Ratio	16:9
Resolution	1920*1080
Colors	16.7 M
Active Area	698.4(W)×392.85(H) mm
Number of Touches	10 points Multi_Touch Capacitive Touch Screen
Brightness	300cd/m ²
Response Time	12(Typ.)(G to G)ms
Viewing Angle	89/89/89/89(Typ.)
Contrast Ratio	1000:1
Backlight Lifetime (hours)	LED / 50,000h
Touch Technology	10 points Multi_Touch Capacitive Touch Screen
Touch Connector	USB / RS232
Touch Panel Drivers	Compatible with 3M/ELO protocol
Touch Response Time	< 5ms
Power Supply	Input AC110 – 240V
Interface	HDMI,DVI,VGA,Touch-USB,RS232
Power consumption	≤45W
Temperature	Operating 0°C – 60°C/Storage- 20°C – 60°C
Humidity Range (RH)	Operating 20%RH–80%RH/Storage10%RH–90%RH
Housing material	Metal
Installation	VESA 75mm and 100mm
Warranty(year)	1 Year
Support customization	

File Number: NO.2023-320CB-G805



Shenzhen Anwell Touch Technology Co., Ltd.



+8615989592597



15989592597@163.com



anwelltouch.com

301, Building A, No. 51, Youganyuan Road, Anliang Community, Yuanshan Street, Shenzhen