



43 Inch Gaming PCAP 1k Curved Touch Screen With 5 Msec Response For Cabinets

Our Product Introduction

for more products please visit us on anwelltouch.com

Basic Information

- Place of Origin: China
- Brand Name: Anwell Touch
- Certification: CE,Rohs,FCC
- Model Number: AW430CB-G901
- Minimum Order Quantity: 2 Pieces
- Price: Negotiable
- Packaging Details: Standard carton box
- Delivery Time: 8-15 working days
- Payment Terms: TT
- Supply Ability: 1000 pieces per Month



Product Specification

- Product Name: 43 Inch Curved Game PCAP Touch Monitor
- Interface Type: D-SUB, Usb, HD-MI
- Viewing Angle: 85/85/85/85 (Typ.)(CR≥10)
- Contrast Ratio: 1000:1
- Response Time: 5ms
- Colors: 16.7M
- Brightness: 350cd/m2
- Touch Technology: Capacitive Touch Screen
- Power Supply: Input AC110 ~ 240V/50 ~ 60Hz
- Warranty: 12 Months
- Compatible With: 3M/ELO Microtouch Protocol
- Aspect Ratio: 16:9
- Series: For Gaming
- Highlight: **1k curved touch screen,**
pcap curved touch screen,



More Images



Product Description

Product Description

**43inch Capacitive touch Curved screen game monitor****Touch Gaming monitor Feature:**

- Compatible with 3M/ELOs protocol
- Touch signal input : RS232 / USB
- Signal input: VGA/DVI/HD-MI
- Support embedded rack mounted / VESA wall mounted
- AU,EU,US,UK plug available
- Application: Game machine,Interactive kiosk, Interactive digital signage,Industrial enclosure, Cabinet, In-wall devices

Specifications43 Inch Capacitive Touch **Curved screen** Monitor Data

Model	AW430CB-G901
Monitor Color	Black
Resolution	1920 x 1080
Colors	16.7 million
Number of Touches	Single-touch (multitouch optional)
Brightness	300cd/m ²
Response	5 msec
Viewing Angle	178/178(°)
Contrast Ratio	1000:1
Backlight Lifetime (hours)	LED / 50,000h
Touch Technology	Capacitive touch
Touch Connector	USB/RS232
Touch Panel Drivers	compatible with 3M/ELO protocol
Touch Life (Contacts)	Unlimited

Surface Hardness	7H
Power Supply	Input AC110 ~ 240V
Frenquency	60Hz-75Hz
Power consumption	25W
Operating Temperature	-10 ~ +65(°C)
Humidity Range (RH)	10%-90%
Housing material	Metal or Aluminum
Mounting	75mm and 100mm VESA mount; Rear mount ; Flush mount with included brackets



"C" type





Shenzhen Anwell Touch Technology Co., Ltd.



+8618420495337



jasssiieee@gmail.com



anwelltouch.com

301, Building A, No. 51, Youganyuan Road, Anliang Community, Yuanshan Street, Shenzhen