



HET 15.6inch Touch Button IDECK For HET New Skill Games Machines 300cd/m² 25W

Our Product Introduction

for more products please visit us on anwelltouch.com

Basic Information

- Place of Origin: China
- Brand Name: Anwell Touch
- Certification: CE,RoHS,FCC
- Minimum Order Quantity: 2 Pieces
- Price: Negotiable
- Packaging Details: Standard carton box
- Delivery Time: 8-15 working days
- Payment Terms: TT
- Supply Ability: 1000 pieces per Month




Product Specification

- Brightness: 300cd/m²
- Response: 5 Msec
- Viewing Angle: 178/178(°)
- Touch Technology: Capacitive Touch
- Touch Cover: Glass T=1.8mm
- Touch Construction: G+G
- Interface: USB-B Female
- Input Source: Finger
- Power Consumption: 25W
- Operating Temperature: -10 ~ +65(°C)
- Humidity Range (RH): 0°C~45°C
- Active Area: 373.8mmx71.6mm
- Highlight:
15.6inch touch button ideck,
het touch button ideck,
het ideck lcd touch button



More Images



Product Description

Product Description

HET Touch Button iDeck

The same size as the prototype, dedicated to upgrade and replace the touch button panel on the Bally Alpha 2 pro Wave model

Net Weight	2 kg
Gross Weight	3 kg
Product Dimension	465mm x 160mm x 39mm

Specifications	
Bally Alpha 2 PRO Wave iDeck	
Resolution	1920x1080
Colors	Silver
Number of Touches	Single-touch (multitouch optional)
Brightness	300cd/m ²
Response	5 msec
Viewing Angle	178/178(°)
Contrast Ratio	1000:1
Backlight Lifetime (hours)	LED / 50,000h
Touch Technology	P-CAP
Touch Connector	USB
Touch Life (Contacts)	Unlimited
Surface Hardness	7H
Output	DC12V
Frenquency	60Hz-75Hz
Power consumption	25W
Operating Temperature	Operating:0°C~45°C Storage:-20°C-55°C
Humidity Range (RH)	Operating:10%-80%RH, 40°C Storage:10%-80%RH, 40°C
Housing material	Metal





+8615989592597



15989592597@163.com



anwelltouch.com

301, Building A, No. 51, Youganyuan Road, Anliang Community, Yuanshan Street, Shenzhen