



## Gaming PCAP Touch Screen Side Edge LED Bezel for Interactive Kiosks and Game Machines

### Our Product Introduction

for more products please visit us on [anwelltouch.com](http://anwelltouch.com)

#### Basic Information

- Place of Origin: China
- Brand Name: Anwell Touch
- Certification: CE,RoHS,FCC
- Model Number: AW238CB-G804
- Minimum Order Quantity: 2 Pieces
- Price: Negotiable
- Packaging Details: Standard carton box
- Delivery Time: 15 working days
- Payment Terms: TT
- Supply Ability: 5000 pieces per Month



#### Product Specification

- Aspect Ratio: 16:9
- Resolution: 1920 X 1080
- Response Time: 5ms
- Contrast Ratio: 1000:1
- Brightness: 300cd/m2
- Type: Capacitive Touch
- Colors: 16.7M
- Viewing Angle: 85/85/80/80 (Typ.)(CR≥10)
- Touch Technology: 10 Points Multi-Touch Capacitive Touch Screen
- Warranty: 12 Months
- Highlight: capacitive touch monitor 23.8 inch,  
flat screen capacitive touch monitor,  
flat screen capacitive touch screen monitor



#### More Images



## Product Description

23.8 Inch Flat Screen LED Light Capacitive Touch Monitor For Fire Link/Lighting Link

## Product Description



### 23.8 inch Capacitive touch screen game monitor

#### Touch Gaming monitor Feature:

- Compatible with 3M/ELOs protocol
- Touch signal input : RS232 / USB
- Signal input: VGA/DVI/HD-MI
- Support embedded rack mounted / VESA wall mounted
- AU,EU,US,UK plug available
- Application: Game machine,Interactive kiosk, Interactive digital signage,Industrial enclosure, Cabinet, In-wall devices

Project	Model	AW238CB-G804
Display	Diagnoal Size	23.8inch
	Aspect Ratio	16:9
	LCD Technology	LED
	Active Display Area	75.2(w)*267.3(h) mm
	Resolution Ratio	1920*1080
	Brightness	300 cd/m2 (Typ.)
	Contrast Ratio	1000:1
	Colors	16.7M
	Response Time	5ms
	Viewing Angle	85/85/80/80 (Typ.)(CR≥10)
Touch Screen	Touch Technology	10 points Multi-Touch Capacitive Touch Screen
	Touchscreen Transparency	87%
	Touch Surface Hardness	>7H
	Touch Response Time	<10ms
I/O port	Interface	VGA HDMI USB DC
Others	Power Supply	DC12V 4A AC110~220V
	Installation	VESA 100×100
	Temperature	Operating:0℃~40℃, Storage:-20℃~60℃
	Humidity	Operating:20%~80%, Storage:10%~90%
	Altitude	<3000 m
	Accessories	hdmi cable, USB cable, Power adapter





**Shenzhen Anwell Touch Technology Co., Ltd.**



+8618420495337



jasssiieee@gmail.com



anwelltouch.com

301, Building A, No. 51, Youganyuan Road, Anliang Community, Yuanshan Street, Shenzhen