



Embedded Industrial Touch Monitor PCAP 19 Inch Buckle With HD-MI VGA USB Interface LCD Display 1280*1024

Basic Information

- Place of Origin: China
- Brand Name: Anwell Touch
- Certification: CE,RoHS,FCC
- Model Number: AW190CB-I001
- Minimum Order Quantity: 2 Pieces
- Price: Negotiable
- Packaging Details: Standard carton box
- Delivery Time: 15 working days
- Payment Terms: TT
- Supply Ability: 5000 pieces per Month



Product Specification

- Aspect Ratio: 4:3
- Resolution: 1280 X 1024
- Interface Type: VGA, Serial, Usb
- Response Time: 5ms
- Contrast Ratio: 1000:1
- Brightness: 300cd/m2
- Type: Capacitive Touch
- Colors: 16.7M
- Viewing Angle: 85/85/80/80 (Typ.)(CR≥10)
- Touch Technology: 10 Points Multi-Touch Capacitive Touch Screen
- Warranty: 1 Year
- Interface: VGA,HD-MI,USB,DC
- Highlight: **19 inch industrial touch monitor ,
PCAP touch monitor with HDMI,
industrial LCD display with VGA**



Product Description



+8618420495337



jasssiieee@gmail.com



anwelltouch.com

301, Building A, No. 51, Youganyuan Road, Anliang Community, Yuanshan Street, Shenzhen

19 Inch Buckle Embedded Industrial Monitor PCAP Touch Screen

Touch Gaming monitor Feature:

- Touch signal input : RS232 / USB
- Signal input: VGA/DVI/HD-MI
- Support embedded rack mounted / VESA wall mounted
- AU,EU,US,UK plug available
- Application: Game machine, Interactive kiosk, Interactive digital signage, Industrial enclosure, Cabinet, In-wall devices.

Specification

The specifications of Industrial Embedded 19Inch Capacitive Touch Screen Monitor

LCD Panel	Model Number	AW190CB-I001
	Screen Ratio	4:3
	Resolution	1280*1024
	Brightness	300 cd/m ²
	Contrast	700:1
	Backlight	LED backlight
	Response Time	8 ms
	Viewing Angle	80/80/80/80 (Typ.)(CR≥10)
	Interface	HD-MI/VGA/USB(touch function)
Touch functions	Touch Screen	Capacitive Touch Optional
(optional)	Touch Interface	USB cable
	Touch points	10 POINTS
Product Features	Working Temperature	-10 --+50
	Storage Temperature	-15 --+60
	Color	Black
Advantages	Cold rolled sheet metal material, strong casing, shockproof, anti-interference; Power-on boot function, timing boot function; Support wall-mounted, desktop, embedded installation; Using industrial-grade high-brightness display, longer life; Industrial design natural heat dissipation; Touch screen, stable performance, accurate positioning without drift, high sensitivity.	



